1894MNRAS..54..594M

Ephemeris for Physical Observations of Jupiter,

Greenwich Noon.		Position-angle of ♃'s Axis. P	L−O	Diff.	B	A−L	Apparent Diameter. Equat.	Apparent Diameter. Defect.	Apparent Diameter. Polar.
1894.		°	°		°	°	"	"	"
Dec.	17	1·808	316·654	270	+2·181	− 1·236	46·81	0·01	43·80
	19	1·682	316·384	272	2·181	−0·796	46·83	...	43·82
	21	1·556	316·112	272	2·180	−0·354	46·84	...	43·83
	23	1·429	315·840	272	2·180	+0·088	46·84	...	43·83
	25	1·302	315·568	271	2·179	+0·530	46·82	...	43·81
	27	1·175	315·297	269	+2·178	+0·970	46·78	...	43·78
	29	1·050	315·028	266	2·178	1·409	46·73	·01	43·73
	31	0·926	314·762	262	2·177	1·845	46·67	·01	43·67
1895.									
Jan.	2	0·803	314·500	258	2·176	2·277	46·60	·02	43·60
	4	0·683	314·242	253	2·174	2·705	46·51	·03	43·52
	6	0·565	313·989	246	+2·173	+3·127	46·40	0·03	43·42
	8	0·450	313·743	240	2·171	3·543	46·29	·04	43·31
	10	0·338	313·503	233	2·170	3·953	46·16	·05	43·20
	12	0·229	313·270	225	2·168	4·355	46·02	·07	43·07
	14	0·123	313·045	216	2·166	4·749	45·87	·08	42·92
	16	0·022	312·829	207	+2·164	+5·135	45·71	0·09	42·77
	18	359·925	312·622	198	2·161	5·511	45·54	·11	42·61
	20	·833	312·424	187	2·159	5·878	45·35	·12	42·44
	22	·746	312·237	177	2·156	6·235	45·16	·13	42·26
	24	·663	312·060	165	2·153	6·581	44·96	·15	42·07
	26	359·586	311·895	153	+2·150	+6·915	44·75	0·16	41·88
	28	·514	311·742	142	2·147	7·238	44·53	·18	41·67
	30	·448	311·600	129	2·144	7·548	44·31	·19	41·46
Feb.	1	·388	311·471	117	2·140	7·846	44·08	·21	41·25
	3	·333	311·354	104	2·137	8·132	43·84	·22	41·03
	5	359·284	311·250	91	+2·133	+8·405	43·60	0·23	40·80
	7	·242	311·159	78	2·129	8·665	43·36	·25	40·57
	9	·205	311·081	65	2·125	8·912	43·11	·26	40·34
	11	·175	311·016	51	2·121	9·145	42·85	·27	40·10
	13	·151	310·765	38	2·116	9·366	42·60	·28	39·86
	15	359·133	310·927	25	+2·112	+9·573	42·34	0·29	39·62
	17	·121	310·902	12	2·107	9·766	42·08	·30	39·38
	19	·116	310·890	2	2·103	9·946	41·82	·31	39·13
	21	·117	310·892	15	2·098	10·113	41·55	·32	38·88
	23	·124	310·907	29	2·093	10·266	41·29	·33	38·64

1894MNRAS..54..594M

1894–95. (*Concluded.*) By A. Marth.

Greenwich Noon.	Brightness.	Longitude of ♃'s Central Meridian. (877°·90) I.	(870°·27) II.	Corr. for Phase.	Light-time.	A−O	*B*
1894.	m	°	°	°	m	°	°
Dec. 17	−2·28	17·26	38·64	+0·01	34·593	315·4197	+2·1529
19	−2·28	333·34	339·46	·00	34·575	315·5898	2·1464
21	−2·28	289·41	280·28	...	34·569	315·7599	2·1399
23	−2·28	245·48	221·09	...	34·572	315·9299	2·1334
25	−2·28	201·55	161·89	...	34·587	316·0998	2·1268
27	−2·28	157·60	102·68	·00	34·612	316·2697	+2·1202
29	−2·28	113·65	43·47	−0·01	34·647	316·4395	2·1136
31	−2·27	69·69	344·25	·01	34·693	316·6093	2·1070
1895. Jan. 2	−2·27	25·71	285·02	·02	34·750	316·7791	2·1004
4	−2·26	341·73	225·78	·03	34·817	316·9488	2·0938
6	−2·26	297·74	166·52	−0·04	34·894	317·1185	+2·0872
8	−2·25	253·73	107·26	·05	34·981	317·2881	2·0805
10	−2·25	209·71	47·98	·07	35·078	317·4576	2·0738
12	−2·24	165·68	348·69	·08	35·184	317·6271	2·0671
14	−2·23	121·63	289·38	·10	35·300	317·7966	2·0604
16	−2·22	77·57	230·06	−0·12	35·425	317·9660	+2·0537
18	−2·21	33·50	170·73	·13	35·560	318·1353	2·0469
20	−2·20	349·41	111·38	·15	35·703	318·3046	2·0401
22	−2·19	305·30	52·01	·17	35·855	318·4739	2·0333
24	−2·18	261·18	352·63	·19	36·015	318·6431	2·0265
26	−2·17	217·04	293·24	−0·21	36·183	318·8123	+2·0197
28	−2·16	172·89	233·82	·23	36·360	318·9814	2·0129
30	−2·15	128·72	174·39	·25	36·544	319·1505	2·0061
Feb. 1	−2·14	84·53	114·95	·27	36·735	319·3195	1·9992
3	−2·13	40·33	55·49	·29	36·932	319·4885	1·9923
5	−2·11	356·11	356·01	−0·31	37·137	319·6574	+1·9854
7	−2·10	311·87	296·51	·33	37·347	319·8263	1·9785
9	−2·09	267·62	237·00	·35	37·563	319·9951	1·9716
11	−2·07	223·35	177·47	·36	37·785	320·1639	1·9647
13	−2·06	179·06	117·92	·38	38·013	320·3326	1·9577
15	−2·05	134·76	58·36	−0·40	38·245	320·5013	+1·9507
17	−2·03	90·44	358·78	·42	38·482	320·6699	1·9437
19	−2·02	46·10	299·19	·43	38·723	320·8385	1·9367
21	−2·00	1·75	239·58	·45	38·969	321·0070	1·9297
23	−1·99	317·38	179·95	·46	39·218	321·1755	1·9227

1894MNRAS..54..594M

Greenwich Noon.		Position-angle of ♃'s Axis. P	L–O.	Diff.	B	A–L.	Apparent Diameter. Equat.	Defect.	Polar.
1895.		°	°		°	°	″	″	″
Feb.	25	359·137	310·936	42	+2·088	+10·406	41·02	0·34	38·39
	27	·157	310·978	55	2·083	10·532	40·76	·34	38·14
Mar.	1	·183	311·033	68	2·078	10·646	40·50	·35	37·90
	3	·215	311·101	81	2·073	10·746	40·24	·35	37·65
	5	·253	311·182	93	2·067	10·833	39·98	·36	37·41
	7	359·296	311·275	105	+2·061	+10·908	39·72	0·36	37·16
	9	·345	311·380	118	2·056	10·971	39·46	·36	36·92
	11	·401	311·498	130	2·050	11·021	39·20	·36	36·68
	13	·462	311·628	142	2·044	11·059	38·95	·36	36·45
	15	·528	311·770	153	2·038	11·085	38·70	·36	36·21
	17	359·599	311·923	165	+2·032	+11·100	38·45	0·36	35·98
	19	·676	312·088	176	2·026	11·103	38·21	·36	35·75
	21	·758	312·264	186	2·019	11·095	37·97	·35	35·53
	23	·846	312·450	198	2·013	11·076	37·73	·35	35·31
	25	359·939	312·648	208	2·006	11·046	37·50	·35	35·09
	27	0·036	312·856	218	+1·999	+11·006	37·27	0·34	34·87
	29	0·138	313·074	228	1·992	10·955	37·04	·34	34·66
	31	0·245	313·302	238	1·985	10·895	36·82	·33	34·45
Apr.	2	0·356	313·540	247	1·978	10·825	36·60	·33	34·25
	4	0·472	313·787	257	1·971	10·745	36·39	·32	34·05
	6	0·593	314·044	265	+1·964	+10·656	36·18	0·31	33·85
	8	0·717	314·309	274	1·957	10·558	35·97	·30	33·66
	10	0·845	314·583	282	1·949	10·451	35·77	·30	33·47
	12	0·977	314·865	291	1·941	10·336	35·57	·29	33·29
	14	1·113	315·156	298	1·933	10·212	35·38	·28	33·11
	16	1·253	315·454	306	+1·925	+10·081	35·19	0·27	32·93
	18	1·396	315·760	314	1·917	9·942	35·01	·26	32·76
	20	1·543	316·074	321	1·909	9·796	34·83	·25	32·59
	22	1·693	316·395	328	1·900	9·642	34·65	·24	32·43
	24	1·846	316·723	335	1·891	9·481	34·48	·24	32·27
	26	2·002	317·058	341	+1·883	+9·314	34·32	0·23	32·11
	28	2·162	317·399	347	1·874	9·139	34·16	·22	31·96
	30	2·325	317·746	354	1·865	8·958	34·00	·21	31·81
May	2	2·490	318·100	360	1·855	8·771	33·85	·20	31·67
	4	2·658	318·460	365	1·846	8·578	33·70	·19	31·53
	6	2·828	318·825	371	+1·836	+8·380	33·55	0·18	31·40
	8	3·000	319·196	376	1·827	8·176	33·42	·17	31·27
	10	3·175	319·572		1·817	7·966	33·28	·16	31·14

1894MNRAS..54..594M

Greenwich Noon.	Brightness.	Longitude of ♃'s Central Meridian.		Corr. for Phase.	Light-time.	Λ − O.	*B*
		(877°·90) I.	(870°·27) II.				
1895.	m	°	°	°	m	°	°
Feb. 25	−1·98	273·00	120·31	−0·47	39·470	321·3439	+1·9157
27	−1·96	228·60	60·65	·48	39·726	321·5123	1·9087
Mar. 1	−1·95	184·19	0·98	·49	39·984	321·6806	1·9016
3	−1·93	139·76	301·30	·50	40·244	321·8489	1·8945
5	−1·92	95·32	241·60	·51	40·507	322·0171	1·8874
7	−1·90	50·87	181·88	−0·52	40·771	322·1853	+1·8803
9	−1·89	6·40	122·16	·52	41·037	322·3534	1·8731
11	−1·87	321·92	62·42	·53	41·304	322·5215	1·8660
13	−1·86	277·43	2·67	·53	41·572	322·6895	1·8588
15	−1·85	232·92	302·90	·53	41·840	322·8575	1·8516
17	−1·83	188·41	243·13	−0·54	42·109	323·0254	+1·8444
19	−1·82	143·88	183·34	·54	42·378	323·1933	1·8372
21	−1·80	99·34	123·54	·54	42·647	323·3611	1·8300
23	−1·79	54·79	63·73	·53	42·915	323·5289	1·8228
25	−1·78	10·23	3·91	·53	43·183	323·6966	1·8156
27	−1·76	325·66	304·09	−0·53	43·450	323·8643	+1·8084
29	−1·75	281·08	244·25	·52	43·716	324·0319	1·8011
31	−1·73	236·49	184·40	·52	43·980	324·1995	1·7938
Apr. 2	−1·72	191·89	124·54	·51	44·242	324·3671	1·7865
4	−1·71	147·28	64·68	·50	44·503	324·5346	1·7792
6	−1·70	102·67	4·81	−0·49	44·761	324·7020	+1·7719
8	−1·68	58·05	304·93	·48	45·017	324·8694	1·7646
10	−1·67	13·42	245·04	·47	45·271	325·0367	1·7573
12	−1·66	328·78	185·14	·46	45·521	325·2040	1·7499
14	−1·65	284·14	125·24	·45	45·769	325·3713	1·7425
16	−1·64	239·49	65·34	−0·44	46·014	325·5385	+1·7351
18	−1·62	194·84	5·43	·43	46·256	325·7056	1·7277
20	−1·61	150·18	305·51	·42	46·494	325·8727	1·7203
22	−1·60	105·52	245·59	·41	46·729	326·0398	1·7129
24	−1·59	60·85	185·66	·39	46·960	326·2068	1·7055
26	−1·58	16·18	125·73	−0·38	47·187	326·3737	+1·6980
28	−1·57	331·50	65·79	·36	47·410	326·5406	1·6906
30	−1·56	286·82	5·85	·35	47·629	326·7075	1·6831
May 2	−1·55	242·13	305·91	·34	47·843	326·8743	1·6756
4	−1·54	197·44	245·96	·32	48·052	327·0411	1·6681
6	−1·53	152·75	186·01	−0·31	48·257	327·2078	+1·6606
8	−1·52	108·06	126·06	·29	48·458	327·3744	1·6531
10	−1·51	63·37	66·10	·28	48·653	327·5410	1·6456

1894MNRAS..54..594M

The following is a list (continued from p. 569) of Greenwich mean times when the zero-meridian in the assumed two systems of longitudes will pass the middle of the illuminated disc:

	I.	II.		I.	II.
	(877°·90)	(870°·27)		(877°·90)	(870°·27)
1894.	h m	h m	1895.	h m	h m
Dec. 17	9 22·1	8 51·6	Jan. 3	4 49·2	7 50·9
	19 12·5	18 47·2		14 39·6	17 46·5
18	5 2·9	4 42·8	4	10 20·4	3 42·1
	14 53·3	14 38·4		20 10·9	13 37·7
19	10 34·1	10 29·5	At $23^{h}\cdot4$ ☌ of ♃ with ✱ $4^{m}.1$ 1 Geminorum.		
	20 24·5	20 25·1			
20	6 15·0	6 20·7	5	6 1·3	9 28·9
	16 5·4	16 16·3		15 51·7	19 24·6
21	1 55·8	2 11·9	6	1 42·2	5 20·2
	11 46·2	12 7·5		11 32·6	15 15·8
22	7 27·0	7 58·6	7	7 13·5	1 11·4
	17 17·4	17 54·2		17 3·9	11 7·0
23	3 7·8	3 49·8	8	2 54·4	6 58·2
	12 58·2	13 45·4		12 44·8	16 53·9
24	8 39·0	9 36·6	9	8 25·7	2 49·5
	18 29·4	19 32·2		18 16·2	12 45·1
25	4 19·9	5 27·8	10	4 6·6	8 36·3
	14 10·3	15 23·3		13 57·1	18 32·0
26	9 51·1	1 18·9	11	9 38·0	4 27·6
	19 41·5	11 14·5		19 28·4	14 23·2
27	5 31·9	7 5·7	12	5 18·9	0 18·8
	15 22·4	17 1·3		15 9·3	10 14·5
28	1 12·8	2 56·9	13	0 59·8	6 5·7
	11 3·2	12 52·5		10 50·2	16 1·4
29	6 44·0	8 43·7	14	6 31·1	1 57·0
	16 34·5	18 39·3		16 21·6	11 52·6
30	2 24·9	4 34·9	15	2 12·0	7 43·9
	12 15·3	14 30·5		12 2·5	17 39·5
31	7 56·2	10 21·7	16	7 43·4	3 35·2
	17 46·6	20 17·3		17 33·9	13 30·8
1895. Jan. 1	3 37·0	6 12·9	17	3 24·3	9 22·1
	13 27·4	16 8·5		13 14·8	19 17·7
2	9 8·3	2 4·1	18	8 55·7	5 13·4
	18 58·7	11 59·7		18 46·2	15 9·0

1894MNRAS..54..594M

	I.	II.		I.	II.
	(877°·90)	(870°·27)		(877°·90)	(870°·27)
1895.	h m	h m	1895.	h m	h m
Jan. 19	4 36·7	1 4·7	Feb. 6	15 29·0	15 49·9
	14 27·1	11 0·3	7	1 19·5	1 45·6
20	0 17·6	6 51·6		11 10·0	11 41·3
	10 8·1	16 47·3	8	6 51·0	7 32·7
21	5 49·0	2 42·9		16 41·6	17 28·4
	15 39·5	12 38·6	9	2 32·1	3 24·1
22	1 30·0	8 29·9		12 22·6	13 19·8
	11 20·5	18 25·5	10	8 3·7	9 11·2
23	7 1·4	4 21·2		17 54·2	19 6·9
	16 51·9	14 16·8	11	3 44·7	5 2·7
24	2 42·4	0 12·5		13 35·3	14 58·4
	12 32·9	10 8·2	12	9 16·4	0 54·1
25	8 13·8	5 59·5		19 6·9	10 49·8
	18 4·3	15 55·1	13	4 57·4	6 41·2
26	3 54·8	1 50·8		14 48·0	16 36·9
	13 45·3	11 46·5	14	0 38·5	2 32·7
27	9 26·3	7 37·8		10 29·1	12 28·4
	19 16·8	17 33·5	15	6 10·1	8 19·8
28	5 7·3	3 29·2		16 0·7	18 15·5
	14 57·8	13 24·8	16	1 51·2	4 11·3
29	0 48·3	9 16·2		11 41·8	14 7·0
	10 38·8	19 11·8	17	7 22·9	9 58·4
30	6 19·8	5 7·5		17 13·4	19 54·2
	16 10·3	15 3·2	18	3 4·0	5 49·9
31	2 0·8	0 58·9		12 54·5	15 45·6
	11 51·3	10 54·6	19	8 35·6	1 41·4
Feb. 1	7 32·3	6 45·9		18 26·2	11 37·1
	17 22·8	16 41·6	20	4 16·7	7 28·5
2	3 13·3	2 37·3		14 7·3	17 24·3
	12 3·8	12 33·0	21	9 48·4	3 20·0
3	8 44·8	8 24·4		19 39·0	13 15·8
	18 35·3	18 20·0	22	5 29·5	9 7·2
4	4 25·8	4 15·7		15 20·1	19 3·0
	14 16·4	14 11·4	23	1 10·7	4 58·7
5	0 6·9	0 7·1		11 1·2	14 54·5
	9 57·4	10 2·8	24	6 42·4	0 50·2
6	5 38·4	5 54·2		16 32·9	10 45·9

1894MNRAS..54..594M

	I. (877°·90)	II. (870°·27)		I. (877° 90)	II. (870°·27)
1895.	h m	h m	1895.	h m	h m
Feb. 25	2 23·5	6 37·4	Mar. 15	3 29·4	1 35·4
	12 14·1	16 33·2		13 20·0	11 31·1
26	7 55·2	2 28·9	16	9 1·2	7 22·7
	17 45·8	12 24·7	17	4 42·4	3 14·3
27	3 36·3	8 16·2		14 33·0	13 10·1
	13 26·9	18 11·9	18	10 14·2	9 1·7
28	9 8·1	4 7·7	19	5 55·4	4 53·3
	18 58·6	14 3·4		15 46·1	14 49·0
Mar. 1	4 49·2	9 54·9	20	1 36·7	0 44·8
	14 39·8	19 50·7		11 27·3	10 40·6
2	0 30·4	5 46·5	21	7 8·5	6 32·2
	10 21·0	15 42·2	22	2 49·7	2 23·6
3	6 2·1	1 38·0		12 40·4	12 19·6
	15 52·7	11 33·7	23	8 21·6	8 11·2
4	1 43·3	7 25·3	24	4 2·8	4 2·8
	11 33·9	17 21·0		13 53·5	13 58·6
5	7 15·0	3 16·8	25	9 34·7	9 50·2
	17 5·6	13 12·5	26	5 15·9	5 41·8
6	2 56·2	9 4·1		15 6·6	15 37·6
	12 46·8	18 59·8	27	0 57·2	1 33·4
7	8 28·0	4 55·6		10 47·8	11 29·2
	18 18·6	14 51·4	28	6 29·1	7 20·8
8	4 9·2	0 47·2	29	2 10·3	3 12·4
	13 59·8	10 42·9		12 1·0	13 8·2
9	9 40·9	6 34·5	30	7 42·2	8 59·9
	19 31·5	16 30·2	31	3 23·5	4 51·5
10	5 22·1	2 26·0		13 14·1	14 47·3
	15 12·7	12 21·8	Apr. 1	8 55·4	10 38·9
11	1 3·3	8 13·3	2	4 36·6	6 30·5
	10 53·9	18 9·1	3	0 17·9	2 22·2
12	6 35·1	4 4·9		10 8·5	12 18·0
	16 25·7	14 0·7	4	5 49·8	8 9·6
13	2 16·3	9 52·2	5	1 31·1	4 1·2
	12 6·9	19 48·0		11 21·7	13 57·0
14	7 48·1	5 43·8	6	7 3·0	9 48·7
	17 38·7	15 39·6	7	2 44·3	5 40·3

1894MNRAS..54..594M

	I.	II.		I.	II.
	(877°·90)	(870°·27)		(877°·90)	(870°·27)
1895.	h m	h m	1895.	h m	h m
Apr. 7	12 34·9	15 36·1	Apr. 20	5 44·9	11 26·7
8	8 16·2	11 27·8	21	1 26·2	7 18·4
9	3 57·5	7 19·4	22	6 58·2	13 5·9
10	9 29·4	13 6·9	23	2 39·5	8 57·5
11	5 10·7	8 58·5	24	8 11·4	4 49·2
12	0 52·0	4 50·1	25	3 52·7	10 36·7
	10 42·6	14 46·0	26	9 24·7	6 28·4
13	6 23·9	10 37·6	27	5 6·0	12 15·9
14	2 5·2	6 29·3	28	10 38·0	8 7·5
15	7 37·1	12 16·8	30	11 51·3	9 46·7
16	3 18·4	8 8·4	May 1	7 32·6	5 38·4
17	8 50·4	13 55·9	2	13 4·6	11 25·9
18	4 31·7	9 47·5	3	8 45·9	7 17·6
19	10 3·6	5 39·2	5	9 59·2	8 56·8

The intervals between successive passages of the zero-meridian vary in System I. between 9^{h} $50^{m}{\cdot}40$ and $50^{m}{\cdot}66$, and in II. between 9^{h} $55^{m}{\cdot}58$ and $55^{m}{\cdot}84$. The differences of successive values of the longitudes of ♃'s Central Meridian for the intervals of two days vary in System I. between 1755°·31 and 1756°·10, and in II. between 1740°·04 and 1740°·84.

The jovicentric latitudes B of the Earth above the plane of *Jupiter's* equator on pp. 562 and 564 are by mistake 0°·004 too small, or the values there given require a correction of +0°·004.

The formulæ for computing the apparent positions of markings on the planet's spheroidal surface are given on p. 159. If y is the distance of a belt from the centre of the disc measured along the polar semi-axis b of the disc, the latitude β' of the belt is found by means of

$$\sin(\beta' - B') = \frac{y}{b}$$

where the values of B′ are

1894 July	30	+2°·59	1894 Nov.	7	+2°·34	1895 Feb.	15	+2°·26
Aug.	19	2·52		27	2·33	Mar.	7	2·20
Sept.	8	2·45	Dec.	17	2·33		27	2·14
	28	2·39	1895 Jan.	6	2·32	Apr.	16	2·06
Oct.	18	+2·35		26	+2·30	May	6	+1·96

Though the conjunction of *Jupiter* with the star 1 *Geminorum* $4^{m}{\cdot}3$ on January 4 is not a very close one, the passage of the planet's system within 1′ of a bright star is rare enough to

1894MNRAS..54..594M

render the occurrence one of some interest and worth watching. Assuming the apparent place of the star to be—

$$\alpha\ 5^{h}\ 57^{m}\ 45^{s}{\cdot}81 \quad \delta + 23^{\circ}\ 16'\ 15''{\cdot}7$$

the planet and its four satellites in their retrograde course will pass the star in right-ascension in the following order :—

	h m	
1895 Jan. 4	11 5 Gr.	Sat. III. 56″·6 south of ✶
	17 14	Sat. I. 48″ 2 „ „
	22 9	Preceding limb
	23 23	Centre of ♃ 44″·8 south of ✶, so that the north rim of the disc passes at a distance of 23″.
5	0 37	Following limb
	9 5	Sat. II. 49″·9 south of ✶
6	1 53	Sat. IV. 52″·2 „ „

Further details may be gathered from the following apparent differences of right-ascension and declination between the satellites and the centre of *Jupiter*, which are founded upon the data in the next paper and the tables in vol. li. :—

Sat. III.

1895.	G.M.T. h m	α_3-A. s	δ_3-D. ″
Jan. 4	8 0	−14·693	−9·25
	9	15·450	8·83
	10	16·185	8·41
	11	16·898	7·97
	12	17·589	7·53
	13	18·255	7·07
	14 0	−18·896	−6·60

Sat. II.

1895.	G.M.T. h m	α_2-A. s	δ_2-D. ″
Jan. 5	6 0	+14·936	−6·39
	7	14·490	6·99
	8	13·963	7·55
	9	13·359	8·07
	10	12·682	8·54
	11	11·936	8·97
	12 0	+11·124	−9·34

Sat. I.

		α_1-A. s	δ_1-D. ″
	16 0	− 7·323	−2·44
	20	7·651	2·18
	40	7·960	1·92
	17 0	8·250	1·67
	20	8·519	1·42
	40	8·767	1·16
	18 0	8·994	0·89
	20	9·199	0·62
	40	− 9·380	−0·35

Sat. IV.

		α_4-A. s	δ_4-D. ″
6	0 0	+36·982	−14·68
	1	36·570	14·92
	2	36·152	15·16
	3	35·726	15·39
	4	35·290	15·62
	5	34·843	15·85
	6 0	+34·385	−16·08